

1.	VESSEL DESCRIPTION		
1.1	Date updated:	Oct 20, 2011	
1.2	Vessel's name:	Ceibo	
1.3	IMO number:	7365576	
1.4	Vessel's previous name(s) and date(s) of change:	MIE WONSILD (Jan 20, 2001) MOPA WONSILD (Not Applicable) BIENVENUE (Not Applicable)	
1.5	Date delivered:	Dec 25, 1974	
1.6	Builder (where built):	Nieuwe Noord Nederlandse Scheepswerven Holland	
1.7	Flag:	Uruguay	
1.8	Port of Registry:	Montevideo	
1.9	Call sign:	CXAK	
1.10	Vessel's satcom phone number:	477005510	
	Vessel's fax number:	598294370073	
	Vessel's telex number:	97204968 AWFLOR	
	Vessel's email address:		
1.11	Type of vessel:		
1.12	Type of hull:	Double Hull	
Classification			
1.13	Classification society:	Lloyds Register	
1.14	Class notation:	+100A1, Chemical Tanker a SG up to 1.5 in association with an approved list of cargoes ((cc)): Ice Class 3:ESP+LMC UMS	
1.15	If Classification society changed, name of previous society:		
1.16	If Classification society changed, date of change:		
1.17	IMO type, if applicable:	2	
1.18	Does the vessel have ice class? If yes, state what level:	, 3	
1.19	Date / place of last dry-dock:	Oct 24, 2009	Tandanor Buenos Aires
1.20	Date next dry dock due	Sep 24, 2012	
1.21	Date of last special survey / next survey due:	Oct 27, 2009	Sep 24, 2014
1.22	Date of last annual survey:	Nov 10, 2010	
1.23	If ship has Condition Assessment Program (CAP), what is the latest overall rating:		
1.24	Does the vessel have a statement of compliance issued under the provisions of the Condition Assessment Scheme (CAS): If yes, what is the expiry date?	N/A	
Dimensions			
1.25	Length Over All (LOA):	81 Metres	
1.26	Length Between Perpendiculars (LBP):	73 Metres	
1.27	Extreme breadth (Beam):	12.70 Metres	
1.28	Moulded depth:	6.56 Metres	
1.29	Keel to Masthead (KTM) / KTM in collapsed condition (if applicable):	27.70 Metres	
1.30	Bow to Center Manifold (BCM) / Stern to Center Manifold (SCM):	42 Metres	39 Metres
1.31	Distance bridge front to center of manifold:	20.40 Metres	
1.32	Parallel body distances:	Lightship	Normal Ballast
	Forward to mid-point manifold:	19 Metres	19 Metres
	Aft to mid-point manifold:	22 Metres	22 Metres
	Parallel body length:	42 Metres	44 Metres
1.33	FWA at summer draft / TPC immersion at summer draft:	7.90 Metric Tonnes	
1.34	What is the max height of mast above waterline (air draft)	Full Mast	Collapsed Mast
	Lightship:	24.95 Metres	0.00 Metres
	Normal ballast:	0.00 Metres	0.00 Metres
	At loaded summer deadweight:	22.28 Metres	0.00 Metres
Tonnages			
1.35	Net Tonnage:	726	

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

1.36	Gross Tonnage / Reduced Gross Tonnage (if applicable):	1,780	
1.37	Suez Canal Tonnage - Gross (SCGT) / Net (SCNT):		
1.38	Panama Canal Net Tonnage (PCNT):		1

Loadline Information

1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	0.752 Metres	5.42 Metres	2,580 Metric Tonnes	3,800 Metric Tonnes
	Winter:	0.846 Metres	5.25 Metres	2,470 Metric Tonnes	3,699 Metric Tonnes
	Tropical:	0.658 Metres	5.48 Metres	2,680 Metric Tonnes	3,880 Metric Tonnes
	Lightship:		2.75 Metres		1,780 Metric Tonnes
	Normal Ballast Condition:				
1.40	Does vessel have multiple SDWT?			Yes	
1.41	If yes, what is the maximum assigned deadweight?				

Ownership and Operation

1.42	Registered owner - Full style:	
1.43	Technical operator - Full style:	
1.44	Commercial operator - Full style:	
1.45	Disponent owner - Full style:	

2.	CERTIFICATION	Issued	Last Annual or Intermediate	Expires
2.1	Safety Equipment Certificate:	Sep 17, 2008	Nov 19, 2010	Sep 17, 2013
2.2	Safety Radio Certificate:	Not Applicable	Not Applicable	Not Applicable
2.3	Safety Construction Certificate:	Not Applicable	Not Applicable	Not Applicable
2.4	Loadline Certificate:	Mar 07, 2008	Apr 26, 2011	Mar 07, 2013
2.5	International Oil Pollution Prevention Certificate (IOPPC):	Jan 30, 2009	Mar 31, 2011	Jan 30, 2014
2.6	Safety Management Certificate (SMC):	Nov 04, 2010	Nov 04, 2010	Nov 04, 2015
2.7	Document of Compliance (DOC):	Nov 03, 2010	Nov 03, 2010	Oct 04, 2015
2.8	USCG (specify: COC, LOC or COL):			
2.9	Civil Liability Convention Certificate (CLC):	Feb 20, 2011		Feb 20, 2012
2.10	Civil Liability for Bunker Oil Pollution Damage Convention Certificate (CLBC):	Feb 20, 2011		Feb 20, 2012
2.11	U.S. Certificate of Financial Responsibility (COFR):	Not Applicable		
2.12	Certificate of Fitness (Chemicals):	Mar 16, 2009	Mar 30, 2011	Mar 10, 2014
2.13	Certificate of Fitness (Gas):	Not Applicable		
2.14	Certificate of Class:	Sep 25, 2009	Nov 10, 2010	Sep 24, 2014
2.15	International Ship Security Certificate (ISSC):	Aug 31, 2010	Aug 31, 2010	Aug 31, 2015
2.16	International Sewage Pollution Prevention Certificate (ISPPC)			
2.17	International Air Pollution Prevention Certificate (IAPP):	Aug 12, 2007	Mar 31, 2011	Aug 12, 2012

Documentation

2.18	Does vessel have all updated publications as listed in the Vessel Inspection Questionnaire, Chapter 2- Question 2.24, as applicable:	Yes
2.19	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:	Yes

3. CREW MANAGEMENT

3.1	Nationality of Master:	Uruguayan
3.2	Nationality of Officers:	Uruguay

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

3.3	Nationality of Crew:	URUGUAY
3.4	If Officers/Crew employed by a Manning Agency - Full style:	
3.5	What is the common working language onboard:	espanol
3.6	Do officers speak and understand English:	Yes
3.7	In case of Flag Of Convenience, is the ITF Special Agreement on board:	N/A

4.	HELICOPTERS	
4.1	Can the ship comply with the ICS Helicopter Guidelines:	N/A
4.2	If Yes, state whether winching or landing area provided:	

5.	FOR USA CALLS	
5.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter:	N/A
5.2	Qualified individual (QI) - Full style:	
5.3	Oil Spill Response Organization (OSRO) -Full style:	
5.4	Has technical operator signed the SCIA / C-TPAT agreement with US customs concerning drug smuggling:	N/A

6.	CARGO AND BALLAST HANDLING		
Double Hull Vessels			
6.1	Is vessel fitted with centerline bulkhead in all cargo tanks:	Yes	
6.2	If Yes, is bulkhead solid or perforated:	Solid	
Cargo Tank Capacities			
6.3	Capacity (98%) of each natural segregation with double valve (specify tanks):		
6.4	Total cubic capacity (98%, excluding slop tanks):	2,593 Cu. Metres	
6.5	Slop tank(s) capacity (98%):	72 Cu. Metres	
6.6	Residual/Retention oil tank(s) capacity (98%), if applicable:	8 Cu. Metres	
6.7	Does vessel have Segregated Ballast Tanks (SBT) or Clean Ballast Tanks (CBT):	SBT	
SBT Vessels			
6.8	What is total capacity of SBT?	686 Cu. Metres	
6.9	What percentage of SDWT can vessel maintain with SBT only:		
6.10	Does vessel meet the requirements of MARPOL Annex I Reg 18.2: (previously Reg 13.2)	Yes	
Cargo Handling			
6.11	How many grades/products can vessel load/discharge with double valve segregation:	12	
6.12	Maximum loading rate for homogenous cargo per manifold connection:		
6.13	Maximum loading rate for homogenous cargo loaded simultaneously through all manifolds:	350 Cu. Metres/Hour	
6.14	Are there any cargo tank filling restrictions. If yes, please specify:	No N/A Normally load 95% for safety practice	
Pumping Systems			
6.15	Pumps:	No.	Type
	Cargo:	12	Centrifugal
		2	twin screw tornillo
		1	doble
		2	Centrifugal screw tornillo
	Capacity:		125 M3/HR
			80 M3/HR
			28 M3/HR
			6 M3/HR
	Stripping:	2	Screw
	Capacity:		80 Cu. Metres/Hour
	Eductors:		

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

	Ballast:		Screw	80 Cu. Metres/Hour
6.16	How many cargo pumps can be run simultaneously at full capacity:			
Cargo Control Room				
6.17	Is ship fitted with a Cargo Control Room (CCR):		No	
6.18	Can tank innage / ullage be read from the CCR:		No	
Gauging and Sampling				
6.19	Can ship operate under closed conditions in accordance with ISGOTT:		Yes	
6.20	What type of fixed closed tank gauging system is fitted:		Floating	
6.21	Are overfill (high-high) alarms fitted? If Yes, indicate whether to all tanks or partial:			
Vapor Emission Control				
6.22	Is a vapor return system (VRS) fitted:		Yes	
6.23	Number/size of VRS manifolds (per side):			
Venting				
6.24	State what type of venting system is fitted:		pv	
Cargo Manifolds				
6.25	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment':		Yes	
6.26	What is the number of cargo connections per side:		4	
6.27	What is the size of cargo connections:		150 Millimetres	
6.28	What is the material of the manifold:		steel	
Manifold Arrangement				
6.29	Distance between cargo manifold centers:		400 Millimetres	
6.30	Distance ships rail to manifold:		2,840 Millimetres	
6.31	Distance manifold to ships side:		1,700 Millimetres	
6.32	Top of rail to center of manifold:		800 Millimetres	
6.33	Distance main deck to center of manifold:		990 Millimetres	
6.34	Manifold height above the waterline in normal ballast / at SDWT condition:		5 Metres	1 Metres
6.35	Number / size reducers:		2 x 150/76mm (6/3") 2 x 150/50mm (6/2")	
Stern Manifold				
6.36	Is vessel fitted with a stern manifold:		Yes	
6.37	If stern manifold fitted, state size:		150 Millimetres	
Cargo Heating				
6.38	Type of cargo heating system?		tunnels side and under cargo tanks	
6.39	If fitted, are all tanks coiled?		No	
6.40	If fitted, what is the material of the heating coils:		Mild steel	
6.41	Maximum temperature cargo can be loaded/maintained:		90.0 °C / 194.0 °F	50 °C / 122 °F
Tank Coating				
6.42	Are cargo, ballast and slop tanks coated?		Coated	Type To What Extent
	Cargo tanks:	Yes	ZINCSILICATE	Whole Tank
	Ballast tanks:	No	Hempel	Fair
	Slop tanks:	Yes	Zincsilicate	Whole Tank
6.43	If fitted, what type of anodes are used:		zinc	
7. INERT GAS AND CRUDE OIL WASHING				
7.1	Is an Inert Gas System (IGS) fitted:		No	
7.2	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:			
7.3	Is a Crude Oil Washing (COW) installation fitted:			
8. MOORING				
8.1	Mooring wires (on drums)	No.	Diameter	Material
				Length
				Breaking Strength

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

	Forecastle:					
	Main deck fwd:					
	Main deck aft:					
	Poop deck:					
8.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:					
	Main deck fwd:					
	Main deck aft:					
	Poop deck:					
8.3	Mooring ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	52 Millimetres	nylon	220 Metres	57 Metric Tonnes
	Main deck fwd:	2	48 Millimetres	polypropilene	220 Metres	47 Metric Tonnes
	Main deck aft:	3	52 Millimetres	Composite PP+PES	220 Metres	60 Metric Tonnes
	Poop deck:	2	52 Millimetres	nylon	220 Metres	57 Metric Tonnes
8.4	Other mooring lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:					
	Main deck fwd:					
	Main deck aft:					
	Poop deck:					
8.5	Mooring winches			No.	# Drums	Brake Capacity
	Forecastle:			1	2	
	Main deck fwd:					
	Main deck aft:					
	Poop deck:			1	1	
8.6	Mooring bitts				No.	SWL
	Forecastle:					
	Main deck fwd:					
	Main deck aft:					
	Poop deck:					
8.7	Closed chocks and/or fairleads of enclosed type				No.	SWL
	Forecastle:					
	Main deck fwd:					
	Main deck aft:					
	Poop deck:					
Emergency Towing System						
8.8	Type / SWL of Emergency Towing system forward:					
8.9	Type / SWL of Emergency Towing system aft:					
Anchors						
8.10	Number of shackles on port cable:				8	
8.11	Number of shackles on starboard cable:				8	
Escort Tug						
8.12	What is SWL and size of closed chock and/or fairleads of enclosed type on stern:					
8.13	What is SWL of bollard on poopdeck suitable for escort tug:					
Bow/Stern Thruster						
8.14	What is brake horse power of bow thruster (if fitted):				300 bhp	223.71 Kilowatt
8.15	What is brake horse power of stern thruster (if fitted):					0 Kilowatt
Single Point Mooring (SPM) Equipment						
8.16	Does vessel comply with the latest edition of OCIMF 'Recommendations for Equipment Employed in the Mooring of Vessels at Single Point Moorings (SPM)':				No	
8.17	Is vessel fitted with chain stopper(s):					
8.18	How many chain stopper(s) are fitted:					
8.19	State type of chain stopper(s) fitted:					
8.20	Safe Working Load (SWL) of chain stopper(s):					

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

8.21	What is the maximum size chain diameter the bow stopper(s) can handle:	
8.22	Distance between the bow fairlead and chain stopper/bracket:	
8.23	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:	
Lifting Equipment		
8.24	Derrick / Crane description (Number, SWL and location):	Cranes: 1 x 1 Tonnes, port/center
8.25	What is maximum outreach of cranes / derricks outboard of the ship's side:	2 Metres
Ship To Ship Transfer (STS)		
8.26	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum or Liquefied Gas, as applicable):	Yes

9.	MISCELLANEOUS	
Engine Room		
9.1	What type of fuel is used for main propulsion?	MDO-MGO
9.2	What type of fuel is used in the generating plant?	Gas Oil
9.3	Capacity of bunker tanks - IFO and MDO/MGO:	0 Cu. Metres 180 Cu. Metres 32 Cu. Metres
9.4	Is vessel fitted with fixed or controllable pitch propeller(s)?	Fixed Pitch
Insurance		
9.5	P & I Club - Full Style:	SHIPOWNERS MUTUAL The Shipowner's Mutual Protection and Indemnity Association (Luxembourg) 16, rue Notre dame L 2240 Luxembourg Tel: 44 20 7488 0911 Fax: 44 20 7480 5806 Email: info@shipowners.co.uk Web: www.shipowners.com
9.6	P & I Club coverage - pollution liability coverage:	1000000000 US\$
Port State Control		
9.7	Date and place of last Port State Control inspection:	
9.8	Any outstanding deficiencies as reported by any Port State Control:	No
9.9	If yes, provide details:	
Recent Operational History		
9.10	Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, full description:	Pollution: No, Grounding: No , Serious casualty: No , 28/6/2010 during a ship to ship mooring op. a rope hit a sailor and produce a head crack that end in hospital dead of sailor Collision: No ,
9.11	Last three cargoes / charterers / voyages (Last / 2nd Last / 3rd Last):	IFO 380, IFO 180, MGO
Vetting		
9.12	Date/Place of last SIRE Inspection:	
9.13	Date/Place of last CDI Inspection:	
9.14	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: * Blanket "approvals" are no longer given by Oil Majors and ships are accepted for the voyage on a case by case basis.	

Version 3 (www.Intertanko.com / www.Q88.com)This form was completed using the services of www.Q88.com

If this is not the latest version then we would appreciate if the recipient would email the updated version to support@q88.com so that we may update our system.